WEST Search History

Hide Items Restore Clear Cancel

DATE: Sunday, November 13, 2005

Hide?	Set Name	Query	Hit Count
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ			
	L23	L21 and boiling water	3
	L22	L21 and boiling	. 19
	L21	L20 and contact angle	48
	L20	106/287.11.ccls.	514
	L19	L17 not 118	65
	L18	L17 and 106/287.11.ccls.	7
	L17	114 not 116	72
	L16	L11 and (contact angle with chang\$4)	46
	L15	L11 and (contact angle with chang\$)	45
	L14	L11 and (contact angle with treat\$ with water)	77
	L13	L11 and (contact angle with (consisten\$))	7
	L12	L11 and (contact angle with consist\$)	22
	L11	18 or 110	488
П	L10	L9 and contact angle	163
	L9	106/287.1\$.ccls.	3731
	. L8	428/447.ccls. and contact angle	360
П	L7	L6 and 428/447.ccls.	29
	L6	L5 and surface energy	177
	L5	L4 and contact angle	396
	L4	L3 and silane	510
	L3	goniometer	5571
	L2	L1	2
DB=USPT,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ			DJ
	L1	consistent surface energy	2

END OF SEARCH HISTORY